



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1720-CPR-0179

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR)*, this certificate applies to the construction product:

Rutland TS.3204 Overhead Door Closer –

an overhead surface mounted closer for use on single action, single or double leaf fire resisting and smoke control doors.

Product classification

4	8	2, 3, 4	1	1	3
---	---	---------	---	---	---

Particular conditions applicable: **Variable Power Size/s 2, 3, 4 in Standard and Transom fixing position with adjustable latch action.**

Product classification

4	8	3	1	1	3
---	---	---	---	---	---

Particular conditions applicable: **Size 3 in Parallel arm fixing application with adjustable latch action.**

Rutland UK

Whittington Way, Chesterfield, S41 9AG

and produced in the manufacturing plant(s)

Factory Code: B - O

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 1154:1997 + A1:2002

Under system 1 are applied and that the product fulfils all the prescribed requirements set out above.

This certificate was first issued on 10th December 2018. It will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Director of Certification

Place of issue: Princes Risborough, UK



IFC Certification Ltd
Notified Body No. 1720

20 Park Street, Princes Risborough, Buckinghamshire, HP27 9AH, UK
Tel: +44(0) 1844 275500, Fax: +44(0) 1844 274002, E-mail: info@ifccertification.com
Registered No: 4777898 England
©IFC Certification Ltd 2014