



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1720-CPR-0183

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR)*, this certificate applies to the construction product:

Rutland TS.9205 DABC Overhead Door Closer – single action closer

an overhead closer with delayed action and back check* for use on fire resisting and smoke control doors.
particular conditions applicable:

**Variable power size 2 - 5 in Standard fixing position with adjustable latch, delayed action and back check*.
Variable power size 2 - 4 in Parallel fixing position, 180° maximum opening angle.**

product classification

4	8	2 5	1	1	3
---	---	--------	---	---	---

produced by

Rutland UK

Whittington Way, Chesterfield, S41 9AG

and produced in the manufacturing plant(s)

Factory Code: B - O

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 1154:1997 + A1:2002

Under system 1 are applied and that the product fulfils all the prescribed requirements set out above.

This certificate was first issued on 17th December 2018. It will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Director of Certification

Place of issue: Princes Risborough, UK



IFC Certification Ltd
Notified Body No. 1720

20 Park Street, Princes Risborough, Buckinghamshire, HP27 9AH, UK
Tel: +44(0) 1844 275500, Fax: +44(0) 1844 274002, E-mail: info@ifccertification.com
Registered No: 4777898 England
©IFC Certification Ltd 2014