

**Construction Products Regulation
Declaration of Performance (DoP)**

According to Annex III of the Regulation (EU) No 305/2011



ETS.7004 DoP No. ETS7004CPR2012221

From 1 July 2013, CE Marking of Construction Products covered by harmonised European Standards is mandatory.

Following the transition period of the UK leaving the EU this product will be both CE marked and UKCA marked. See section 8.2 for more information.

-
- 1. Unique identification code of the product/type:**
ETS.7004 Electromagnetic Floor Spring (Size 4)

- 2. Re-order Code allowing identification of the construction product as required under Article 11(4) of CPR:**
ETS.7004, 11254, 11160

- 3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

For use on fire and smoke compartmentation doors, when fitted in accordance with the supplied fitting instructions and maintained in accordance with the manufacturers O&M manual.

- 4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11 (5):**
Rutland UK, Whittington Way, Chesterfield, S41 9AG, UK

- 5. Where applicable. Name and contact address of authorised representative whose mandate covers the tasks specified in Article 12(2):**
N/A

- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:**
System 1

- 7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:**
EN 1155:1997+A1:2002/AC:2006

8.1 Notified body

Warringtonfire Notified body No. 1121 UK conformity assessment body from January 2021.
Element EU notified body no. 2812

8.2 ID Certificate/s

CE	UKCA
2812-CPR-AE5013	1121-CPR-AE5013

9. Declared performance

Conditioning:

- Power size 4 in Standard fixing position - Pull side and Push side

Essential Characteristics	Performance	Harmonised Technical Specification
Ability to release		EN 1155:1997+A1:2002/AC:2006
Instruction for Installation	Yes	
5.1.2 release from any angle	Pass	
5.1.3 Not possible to inhibit the release	Pass	
5.1.4 Supply voltage	Pass	
5.1.5 External electrical connection	Pass	
5.1.6 Inlet for external wiring	Pass	
5.2.1 General	Pass	
5.2.2 Electrical release		
5.2.3 Door closing device requirements	Pass	
5.2.4 Durability	Pass	
5.2.5 Angle of hold open	>65°	
5.2.6 Manual release	Pass	
5.2.7 Continues Hold open	Pass	
5.2.8 Overload performance	Pass	
5.2.9 Delayed release	NPD	
5.2.10 Electrical performance	Pass	
5.1.11 Temperature Rise	Pass	
5.1.12 Damage	Pass	
5.1.13 Fire / Smoke doors	Grade 1	
5.2.14.1 corrosion	Grade 3 (96 hours)	
5.2.14.2 corrosion	Pass	
Dangerous Substances Annex ZA3	Pass: the materials in the door closer do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	EN 1155: 1997: +A1: 2002

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This Declaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for an behalf of the manufacturer:



Neil Smith (Technical & Compliance Director)

Place and date of issue

Chesterfield, UK. 22.12.2020.

