

CONTROLLED DOOR CLOSER DEVICES

Certificate number: IFCC 1443

This is a product certificate to certify that

RUTLAND UK

Whittington Way, Chesterfield S41 9AG UK Telephone no. 01246 261491

Who fabricate the following Door Closers:

TS.7003/4 NHO Floor Spring

have satisfied the requirements of the SDP08 Controlled Door Closer scheme. This includes the fire testing of products to **EN 1634-1**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production.



First Issued: 11 November 2020 Valid to: 10 November 2025

Issue No: 1

U K A S
PRODUCT
CERTIFICATION

175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27b ©IFC Certification Ltd 220111

Page 1 of 2



Rutland TS.7003/4 NHO Floor Spring

This approval only relates to its use with the door assemblies and configurations identified in **BTC 16145F**

Acceptable doorset types and fire resistance periods are identified in the table below: -

| Class | Approved Door Type | | | | | | | | | |
|--------|--------------------|----|----|-----|-----|-----|----|--|--|--|
| | IMM | MM | TT | ITT | ITM | ITC | TM | | | |
| E 20 | × | * | × | ✓ | * | * | × | | | |
| EI 20 | * | * | * | ✓ | * | * | × | | | |
| E 30 | × | × | * | ✓ | × | * | × | | | |
| EI 30 | * | * | * | ✓ | * | * | * | | | |
| E60 | * | * | * | ✓ | * | * | * | | | |
| EI 60 | * | * | * | * | * | * | * | | | |
| E 90 | * | * | * | * | * | * | * | | | |
| EI 90 | * | * | * | * | * | * | × | | | |
| E 120 | × | × | * | * | × | * | * | | | |
| EI 120 | × | × | × | * | × | * | × | | | |
| E 240 | × | × | * | * | × | * | × | | | |
| EI 240 | * | * | * | * | * | * | × | | | |

Classification (Test Report No. 195035)

| Category of use | Durability | Power Level | Fire | Safety | Corrosion Rating |
|-----------------|------------|----------------|------|--------|---------------------|
| 3 | 8 | 3/4 | 1 | 1 | 3 |

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27b ©IFC Certification Ltd 220111