




Hinges

ISSUE 21

Grade 13 Ball Bearing Hinge

- ✓ Suitable for use with back check door closers
- ✓ Welded button tip
- ✓ BS EN 1935 : 2002 Grade 13
- ✓ Grade 201 Stainless Steel
- ✓ 102 x 76 x 3mm



Fire Rated
30 / 60 / 120min



Max Door
Weight 120kg



Guarantee



See website



CF5852



2812

Technical Information

BS EN 1935 Classification

Rutland hinges have been independently tested to EN 1935 performance standard. They are CE marked and classified.

Primary Fire Testing

Rutland hinges have been tested to EN 1634 and BS 476. Test certificates are available on request.

Fire Doors

Intumescent **MUST** be used on fire doors – please enquire for latest testing details.

Styles



Square (SQ)



Radius (R)

Finish




Stainless
Steel (SS)

Description	Finish	Re-order Code	Product Code	Box Qty
Grade 13 Ball Bearing Hinge	Stainless Steel - Square	50577	RH.BB.43SQ.SS	50
	Stainless Steel - Radius	50576	RH.BB.43R.SS	50
Hinge Pad Intumescent Kit for 102x76mm Square or Radius (Singles)		12682	IP.HP43	500

Dog Bolt Hinge

- ✓ Suitable for use with back check door closers
- ✓ Welded button tip
- ✓ BS EN 1935 : 2002 Grade 13
- ✓ Grade 201 Stainless Steel
- ✓ 102 x 76 x 3mm



Fire Rated
30 / 60 / 120min



Max Door
Weight 120kg



Guarantee



See website



2812

Technical Information

BS EN 1935 Classification

Rutland hinges have been independently tested to EN 1935 performance standard. They are CE marked and classified.

Primary Fire Testing

Rutland hinges have been tested to EN 1634 and BS 476. Test certificates are available on request.

Fire Doors

Intumescent **MUST** be used on fire doors – please enquire for latest testing details.

Styles



Square (SQ)



Radius (R)

Finish



Stainless
Steel (SS)

Description	Finish	Re-order Code	Product Code	Box Qty
Dog Bolt Security Hinge	Stainless Steel - Square	50339	RH.DBSH.34.SSS	40
	Stainless Steel - Radius	50340	RH.DBSH.34.SSR	40
Hinge Pad Intumescent Kit for 102x76mm Square or Radius (Singles)		12682	IP.HP43	500