



---

## CERTIFICATE OF APPROVAL

### No CF 5851

---

This is to certify that, in accordance with  
TS00 General Requirements for Certification of Fire Protection Products  
The undermentioned products of

## RUTLAND UK

Whittington Way, Chesterfield, S41 9AG  
Tel: 01246 261491

Have been assessed against the requirements of the Technical Schedule(s)  
denoted below and are approved for use subject to the conditions  
appended hereto:

---

#### CERTIFIED PRODUCT

Range of Tubular Latches,  
and Mortice Locks and Latches

#### TECHNICAL SCHEDULE

TS23 The Contribution of  
Locks and Latches to The  
Performance of Fire Resisting  
Doorsets

Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited

Paul Duggan  
Certification Manager



Issued:  
Re-issued:  
Valid to:

9<sup>th</sup> March 2020  
18<sup>th</sup> May 2022  
28<sup>th</sup> April 2027



---

## CERTIFICATE No CF 5851

### RUTLAND UK

---

#### Rutland UK - Tubular Latches and Mortice Locks and Latches

1. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
2. The tubular latches, and mortice locks and latches covered by this certificate are all steel cased. The approval applies to the products identified in Annex A, B and C.

The range consists of tubular latches and mortice locks, lever locks and cylinder locks. All are manufactured with mild steel bodies with mild steel or stainless steel forends and strikeplates. The range is available with latchbolts of cast zinc or brass, and deadbolts of cast zinc, brass and mild steel. The followers are of either cast zinc or brass. The mortice locks and latches have a forends that vary from 20 mm to 26.5 mm wide, and 58 mm to 235 mm high which are available square or radiused. The cases are all 15 mm wide.

3. This approval relates to their use with the following door assemblies:-

**Tubular latches in Annex A - Latched and unlatched, intumescent sealed door assemblies consisting of timber faced and edged leaves with timber, cellulosic or mineral cores in timber frames having a fire resistance up to 60 minutes (Code ITT).**

**Mortice locks and latches in Annex B - Latched and unlatched, intumescent sealed door assemblies consisting of timber faced and edged leaves with timber, cellulosic or mineral cores in timber frames having a fire resistance up to 60 minutes (Code ITT).**

**Mortice locks and latches in Annex C only - Latched and unlatched, intumescent sealed door assemblies consisting of timber faced and edged leaves with timber, cellulosic or mineral cores in timber frames having a fire resistance up to 120 minutes (Code ITT).**

**Mortice locks and latches in Annex C only - Latched and unlatched, door assemblies consisting of uninsulated or insulated predominantly steel leaves, hung in steel frames with or without intumescent seals having a fire resistance up to 240 minutes (Code IMM/MM).**

4. This approval relates to the use of the above locks/latches in contributing to the fire resistance performance of timber based doorsets and predominantly steel-based doorsets, as defined in BS EN 1634-1 or BS 476: Part 22: 1987.

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

5. The locks are approved on the basis of:

- i) Initial type testing to EN 1634-1 and EN 12209
- ii) An appraisal against TS23
- iii) Certification of quality management system.
- iv) Inspection and surveillance of factory production control
- v) On-going audit testing in accordance with TS23 requirements

6. The mortice locks and/or latches should only be used with door assemblies of proven fire resistance (as defined in BS EN 1634-1 or BS 476: Part 22: 1987) with similar size locks and strikeplates, the critical aspects of the doorset construction are considered to be the material of the door frame, the leaf to frame clearance gaps and the lipping material. Attention should be paid to these details and these should not be amended from that previously fire tested. The following minimum specification shall be followed:

#### Timber-based assemblies (Code ITT30 and ITT60):

- i) Door frame density - 450 kg/m<sup>3</sup> (30 minutes), 640 kg/m<sup>3</sup> (60 minutes)
- ii) Door leaves shall have a minimum thickness of 44 mm for 30 minute applications and 54 mm for 60 minute applications.
- iii) Lipping density - 640 kg/m<sup>3</sup>.

#### Steel-based assemblies (Code MM/IMM)

- i) Door leaves shall have a minimum thickness of 44 mm for up to 240 minute applications.
- ii) No additional intumescent protection is required.

7. When fitted to insulated ITT 30 or ITT60 timber or mineral composite door assemblies, the required intumescent protection shall be as follows:

- i) The required protection for 30 minute ITT applications will be 1 mm of Interdens mono ammonium phosphate or graphite intumescent sheet material, around the lock case and behind the forend and strike plate.
- ii) The required protection for 60 minute ITT applications will be 2 mm of Interdens mono ammonium phosphate or graphite intumescent sheet material, around the lock case and behind the forend and strike plate and base of any backbox.
- iii) Additionally for 60 minute applications, the perimeter intumescent fire seal within the frame/door edge shall by-pass the strike plate or forend by a minimum of 7.5 mm wide on each side (with the exception of the latchbolt lip where present).

*Note: Failure to install this protection will invalidate this certificate*

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

#### 8. Timber/mineral-based assemblies (Code ITT 90 and ITT120)

Rutland locks and latches in Annex C shall only be fitted in 90 and 120 minute doorsets which have previously been tested with locks/latches of a similar size and specification, subject to the following requirements:

- i. The required intumescent protection shall be as tested by the chosen door manufacturer. In all cases this shall be a minimum of a 2 mm thick mono ammonium phosphate or graphite intumescent sheet material incorporated around the lock case and a bedding of the same type and thickness of mono ammonium phosphate or graphite material behind the forend and strike plate/keep, however, this protection shall be increased as required based on the chosen doorset manufacturers test data.
- ii. Additionally the perimeter intumescent within the frame/door edge shall by-pass the strike plate or forend by a minimum of 7.5 mm wide on each side (with the exception of the latchbolt lead where present). Where the perimeter intumescent fire seal on the original test for the chosen doorset by-passes the locks/strikeplate by more than 7.5 mm, this shall be maintained on the doorset incorporating the Rutland chosen products.
- iii. Where chosen doorsets are approved in latched configurations only, the chosen doorset shall have been tested with a minimum latchbolt of 11.5 mm and a maximum latch bolt throw of 13 mm.
- iv. Where cylinders are required the chosen doorset shall have been successfully tested with single or double cylinders as required.
- v. The chosen doorset shall have been successfully tested with a lock/latch of the following minimum size:

Component/dimension	minimum Size (mm)
<i>Basic lockcase</i>	
Forend width	22
Forend Height	235
Forend thickness	2.5
Case height	170
Case width	74
Case thickness	15
<i>Strike plate</i>	
Strike plate width	24 (exc. Lip)
Strike plate height	212
Strike plate thickness	1.2
Strike plate lip height	49

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

#### 8. Timber/mineral-based assemblies (Code ITT 90 and ITT120) – Continued

- vi. The Rutland locks and latches are available in arrange of latchbolt and deadbolt materials, the following restrictions shall therefore apply:

<b>Tested bolt material on Proposed Doorset</b>	<b>Permitted Rutland Bolt Material</b>
Zinc	Zinc, Brass or Steel
Brass	Brass or Steel
Steel	Steel

9. The mortice locks and/or latches and their associated strikeplates and keeps may only be fitted in the manner described in this certificate and subject to any limitations on the inclusion of locks/latches specified for the door leaf. This approval is applicable only to the specified locks used with door assemblies of proven fire resistance (as defined in BS EN 1634-1) and when using appropriate intumescent protection.
10. Lock assemblies not incorporating a latching mechanism shall only be fitted to proven unlatched door assemblies.
11. The locks/latches should not be fitted higher than 1100 mm from the spindle to the finished floor level of the surrounding floors.
12. The mortice locks may incorporate cylinders as follows:
- i) Single cylinder
  - ii) Double cylinder
  - iii) Cylinder and thumbturn
  - iv) Brass or steel cylinders for ITT30 and 60 doorsets
  - v) Steel cylinders only for ITT90 and 120 and MM/IMM 240 doorsets

*Note: The hole in the door face shall follow the shape of the cylinders and be as tight as possible; furthermore the single cylinders door preparation will penetrate through only half the thickness of the door leaf)*

13. Cylinders shall only be fitted to doors which have previously been shown capable of accommodating the installation of cylinder locks without detriment to the doorset's performance.
14. Recessing for locks and strikeplates shall result in a tight fit, allowing for any intumescent protection where required. Mortices for the latchbolt and deadbolt behind the strikeplate shall be as small as possible.



---

## CERTIFICATE No CF 5851

### RUTLAND UK

---

#### Rutland UK - Tubular Latches and Mortice Locks and Latches

15. The spindle hole through the door shall be a maximum of 16 mm diameter unless the doorset has test evidence that proves spindle holes of a greater size than this.
16. ITT30 and 60 doorsets shall be installed in accordance with BS 8214.
17. The approval relates to on-going production. Product and/or its immediate packaging is identified with the manufacturer's name, the product name or number, the CERTIFIRE name or name and mark, together with the CERTIFIRE certificate number and application where appropriate.

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

18a. The following table shows the acceptable doorset types and fire resistance periods for tubular latches in Annex A:

Class	Approved Door Type				
	IMM	MM	ITT	ITM	ITC
FD20	x	x	✓	x	x
FD30	x	x	✓	x	x
FD60	x	x	✓*	x	x
FD90	x	x	x	x	x
FD120	x	x	x	x	x
FD240	x	x	x	x	x
E 20	x	x	✓	x	x
EI 20	x	x	✓	x	x
E 30	x	x	✓	x	x
EI 30	x	x	✓	x	x
E 60	x	x	✓*	x	x
EI 60	x	x	✓*	x	x
E 90	x	x	x	x	x
EI 90	x	x	x	x	x
E 120	x	x	x	x	x
EI 120	x	x	x	x	x
E 240	x	x	x	x	x
EI 240	x	x	x	x	x

**Key:**

- ✓ - approved
- x - Not approved
- ✓\* - see specific restrictions in Annex A



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland – Tubular Latches and Mortice Locks and Latches

18b. The following table shows the acceptable doorset types and fire resistance periods for mortice locks and latches in Annex B:

Class	Approved Door Type				
	IMM	MM	ITT	ITM	ITC
FD20	x	x	✓	x	x
FD30	x	x	✓	x	x
FD60	x	x	✓	x	x
FD90	x	x	x	x	x
FD120	x	x	x	x	x
FD240	x	x	x	x	x
E 20	x	x	✓	x	x
EI 20	x	x	✓	x	x
E 30	x	x	✓	x	x
EI 30	x	x	✓	x	x
E 60	x	x	✓	x	x
EI 60	x	x	✓	x	x
E 90	x	x	x	x	x
EI 90	x	x	x	x	x
E 120	x	x	x	x	x
EI 120	x	x	x	x	x
E 240	x	x	x	x	x
EI 240	x	x	x	x	x

**Key:**

- ✓ - approved
- x - Not approved

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland – Tubular Latches and Mortice Locks and Latches

18c. The following table shows the acceptable doorset types and fire resistance periods for mortice locks and latches in Annex C:

Class	Approved Door Type				
	IMM	MM	ITT	ITM	ITC
FD20	✓	✓	✓	✗	✗
FD30	✓	✓	✓	✗	✗
FD60	✓	✓	✓	✗	✗
FD90	✓	✓	✓	✗	✗
FD120	✓	✓	✓	✗	✗
FD240	✓	✓	✗	✗	✗
E 20	✓	✓	✓	✗	✗
EI 20	✓	✓	✓	✗	✗
E 30	✓	✓	✓	✗	✗
EI 30	✓	✓	✓	✗	✗
E 60	✓	✓	✓	✗	✗
EI 60	✓	✓	✓	✗	✗
E 90	✓	✓	✓	✗	✗
EI 90	✓	✓	✓	✗	✗
E 120	✓	✓	✓	✗	✗
EI 120	✓	✓	✓	✗	✗
E 240	✓	✓	✗	✗	✗
EI 240	✓	✓	✗	✗	✗

**Key:**

- ✓ - approved
- ✗ - Not approved



---

## CERTIFICATE No CF 5851

### RUTLAND UK

---

#### Rutland UK - Tubular Latches and Mortice Locks and Latches

19. Doors are classified as the following types:

**Code ITT** - 20 minute to 120 minute doorsets containing intumescent seals and consisting of timber faced and edged leaves with timber, cellulosic or mineral cores, hung in timber-based frames.

**Code ITM** - 20 minute to 120 minute doorsets containing intumescent seals and consisting of timber faced and edged leaves with timber, cellulosic or mineral cores, hung in steel frames.

**Code ITC** - 20 minute to 120 minute doorsets containing intumescent seals and consisting of timber faced and edged leaves with timber, cellulosic or mineral cores, hung in proprietary composite frames, of which the principal material is other than timber or metal but which may include any other materials.

**Code MM** - 20 to 240 minute doorsets consisting of uninsulated or insulated predominantly steel leaves, hung in steel frames without intumescent seals.

**Code IMM** - 20 to 240 minute doorsets consisting of uninsulated or insulated predominantly steel leaves, hung in steel frames with intumescent seals.

20. Approved lock/latch models and classifications.

- Tubular Latch – Drawing DL01 & DL02:

N	P	D	M	4	1	0	F	-	B	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

- Tubular Latch – Drawing DL03 & DL04:

1	M	4	1	0	F	-	B	0	1	0
---	---	---	---	---	---	---	---	---	---	---

- 3 lever mortice sashlock – Drawing DL05:

1	M	4	1	0	F	2	K	D	1	A
---	---	---	---	---	---	---	---	---	---	---

- 3 lever mortice latch – Drawing DL05:

1	M	4	1	0	F	2	K	0	1	0
---	---	---	---	---	---	---	---	---	---	---

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

21. Approved lock/latch models and classifications – Continued.

- 3 lever deadlock – Drawing DL05:

1	M	4	1	0	F	2	K	D	0	A
---	---	---	---	---	---	---	---	---	---	---

- 3 lever bathroom lock – Drawing DL06:

1	M	4	1	0	F	-	B	G	1	0
---	---	---	---	---	---	---	---	---	---	---

- 5 lever mortice sashlock – Drawing DL07:

2	M	4	1	0	F	3	K	D	1	A
---	---	---	---	---	---	---	---	---	---	---

- 5 lever mortice latch – Drawing DL07:

2	M	4	1	0	F	-	B	0	1	0
---	---	---	---	---	---	---	---	---	---	---

- 5 lever deadlock – Drawing DL08:

2	M	4	1	0	F	3	K	D	0	A
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice sashlock – Drawing DL09:

2	M	4	1	0	F	2	B	A	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice latch – Drawing DL09:

2	M	4	1	0	F	2	B	0	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL09:

2	M	4	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL10:

2	M	4	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

21. Approved lock/latch models and classifications – Continued.

- Cylinder deadlock – Drawing DL11:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice sashlock – Drawing DL12:

2	M	4	1	0	F	2	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice latch – Drawing DL12:

2	M	4	1	0	F	-	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL12:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

- Bathroom lock – Drawing DL015:

2	M	4	1	0	F	0	B	G	1	0
---	---	---	---	---	---	---	---	---	---	---

- Bathroom lock – Drawing DL015a:

2	M	4	1	0	F	0	B	G	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice sashlock – Drawing DL17:

2	M	4	1	0	F	2	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice latch – Drawing DL17:

2	M	4	1	0	F	-	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL17:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

21. Approved lock/latch models and classifications – Continued.

- Cylinder mortice sashlock – Drawing DL18:

2	M	4	1	0	F	2	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL18:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice sashlock – Drawing DL19:

2	M	4	1	0	F	2	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL19:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder mortice sashlock – Drawing DL20:

2	M	4	1	0	F	2	B	C	1	0
---	---	---	---	---	---	---	---	---	---	---

- Cylinder deadlock – Drawing DL20:

2	M	4	1	0	F	2	B	C	0	0
---	---	---	---	---	---	---	---	---	---	---

- 3 lever mortice deadlock – Drawing DL21:

1	M	4	1	0	F	2	K	D	0	A
---	---	---	---	---	---	---	---	---	---	---



---

## CERTIFICATE No CF 5851

### RUTLAND UK

---

#### Rutland UK - Tubular Latches and Mortice Locks and Latches

##### Scope of Approval

- The locks may not be fitted to timber/mineral-based doorsets without perimeter intumescent fire seals fitted within the frame rebate or door edge.
- Graphite-based intumescent sheet material may be used in lieu of the Interdens protection tested; however it shall be a minimum thickness of 1 mm for 30 minute applications and 2 mm for 60 minute applications and shall have proven test data with locks and strikeplates of a similar size and fire rating.

##### Further Information

Further information regarding the details contained in this certificate may be obtained from Rutland UK (Tel: 01246 261491).

Further information regarding CERTIFIRE certification and other approved products can be obtained from CERTIFIRE (Tel: 01925 646777).



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

#### ANNEX A – TUBULAR LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES

CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50055*	Tubular Latch	Zinc	N/A	MS	MS	Zinc	DL01
50056*	Tubular Latch	Zinc	N/A	MS	MS	Zinc	DL01
50057*	Tubular Latch	Zinc	N/A	MS	MS	Zinc	DL01
50058*	Tubular Latch	Zinc	N/A	MS	MS	Zinc	DL01
50059*	Tubular Latch Bolt Thru	Zinc	N/A	MS	MS	Zinc	DL02
50060*	Tubular Latch Bolt Thru	Zinc	N/A	MS	MS	Zinc	DL02
50061*	Tubular Latch Bolt Thru	Zinc	N/A	MS	MS	Zinc	DL02
50062*	Tubular Latch Bolt Thru	Zinc	N/A	MS	MS	Zinc	DL02
50063*	Tubular Latch Rc	Zinc	N/A	MS	MS	Zinc	DL01
50064*	Tubular Latch Rc	Zinc	N/A	MS	MS	Zinc	DL01
50065*	Tubular Latch Rc	Zinc	N/A	MS	MS	Zinc	DL01
50066*	Tubular Latch Rc	Zinc	N/A	MS	MS	Zinc	DL01
50067*	Tubular Latch Bolt Thru Rc	Zinc	N/A	MS	MS	Zinc	DL02
50068*	Tubular Latch Bolt Thru Rc	Zinc	N/A	MS	MS	Zinc	DL02
50069*	Tubular Latch Bolt Thru Rc	Zinc	N/A	MS	MS	Zinc	DL02
50070*	Tubular Latch Bolt Thru Rc	Zinc	N/A	MS	MS	Zinc	DL02
50071	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50072	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50073	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50074	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50075	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL03
50076	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50077	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50078	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL03
50079	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL03
50080	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL04
50081	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL04
50082	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL03
50083	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL04
50084	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL04
50085	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50086	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50087	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50088	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50089	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL03
50090	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50091	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50092	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50093	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50094	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50095	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50096	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL03

\* Note: Limited to 30 minutes approval only

Page 15 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



# CERTIFICATE No CF 5851

## RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

#### ANNEX A – TUBULAR LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES

CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50097	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50098	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50099	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL03
50100	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL03
50101	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL04
50102	Arch Tubular Latch R/C	Brass	N/A	MS	MS	Zinc	DL04
50103	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL03
50104	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL04
50105	Arch Tubular Latch Bolt Thru R/C	Brass	N/A	MS	MS	Zinc	DL04
50106	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50107	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL03
50108	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50109	Arch Tubular Latch	Brass	N/A	MS	MS	Zinc	DL04
50110	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL03
50111	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04
50112	Arch Tubular Latch Bolt Thru	Brass	N/A	MS	MS	Zinc	DL04



# CERTIFICATE No CF 5851

## RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50113	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50114	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50115	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50116	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50117	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50118	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50119	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50120	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50121	3 Lvr Mortice Sash Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL05
50122	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50123	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50124	3 Lvr Mortice Sash Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL05
50125	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50126	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50127	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50128	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50129	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50130	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50131	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50132	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50133	3 Lvr Mortice Latch Only T-3	Zinc	N/A	MS	MS	Zinc	DL05
50134	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50135	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50136	3 Lvr Mortice Latch Only T-3 R/C	Zinc	N/A	MS	MS	Zinc	DL05
50137	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50138	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50139	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50140	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50141	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50142	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50143	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50144	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50145	3 Lvr Mortice Dead Bolt T-3	N/A	Zinc	MS	MS	N/A	DL05
50146	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50147	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50148	3 Lvr Mortice Dead Bolt T-3 R/C	N/A	Zinc	MS	MS	N/A	DL05
50149	3 Lvr Bathroom Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL06
50150	3 Lvr Bathroom Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL06
50151	3 Lvr Bathroom Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL06
50152	3 Lvr Bathroom Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL06
50153	3 Lvr Bathroom Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL06
50154	3 Lvr Bathroom Lock T-3	Zinc	Zinc	MS	MS	Zinc	DL06
50155	3 Lvr Bathroom Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL06
50156	3 Lvr Bathroom Lock T-3 R/C	Zinc	Zinc	MS	MS	Zinc	DL06

Page 17 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50157	5 Lvr Mortice Sash Lock	Brass	Brass	MS	MS	Brass	DL07
50158	5 Lvr Mortice Sash Lock	Brass	Brass	MS	MS	Brass	DL07
50159	5 Lvr Mortice Sash Lock R/C	Brass	Brass	MS	MS	Brass	DL07
50160	5 Lvr Mortice Sash Lock R/C	Brass	Brass	MS	MS	Brass	DL07
50161	5 Lvr Mortice Sash Lock	Brass	Brass	MS	MS	Brass	DL07
50162	5 Lvr Mortice Sash Lock	Brass	Brass	MS	MS	Brass	DL07
50163	5 Lvr Mortice Sash Lock R/C	Brass	Brass	MS	MS	Brass	DL07
50164	5 Lvr Mortice Sash Lock R/C	Brass	Brass	MS	MS	Brass	DL07
50165	5 Lvr Mortice Latch Only	Brass	Brass	MS	MS	Brass	DL07
50166	5 Lvr Mortice Latch Only	Brass	Brass	MS	MS	Brass	DL07
50167	5 Lvr Mortice Latch Only R/C	Brass	Brass	MS	MS	Brass	DL07
50168	5 Lvr Mortice Latch Only R/C	Brass	Brass	MS	MS	Brass	DL07
50169	5 Lvr Mortice Latch Only	Brass	Brass	MS	MS	Brass	DL07
50170	5 Lvr Mortice Latch Only	Brass	Brass	MS	MS	Brass	DL07
50171	5 Lvr Mortice Latch Only R/C	Brass	Brass	MS	MS	Brass	DL07
50172	5 Lvr Mortice Latch Only R/C	Brass	Brass	MS	MS	Brass	DL07
50173	5 Lvr Mortice Dead Lock	N/A	Brass	MS	MS	N/A	DL08
50174	5 Lvr Mortice Dead Lock	N/A	Brass	MS	MS	N/A	DL08
50175	5 Lvr Mortice Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL08
50176	5 Lvr Mortice Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL08
50177	5 Lvr Mortice Dead Lock	N/A	Brass	MS	MS	N/A	DL08
50178	5 Lvr Mortice Dead Lock	N/A	Brass	MS	MS	N/A	DL08
50179	5 Lvr Mortice Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL08
50180	5 Lvr Mortice Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL08
50181	Euro Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50182	Euro Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50183	Euro Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50184	Euro Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50185	Euro Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50186	Euro Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50187	Euro Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50188	Euro Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50189	Euro Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50190	Euro Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50191	Euro Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50192	Euro Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50193	Euro Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50194	Euro Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50195	Euro Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50196	Euro Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50197	Euro Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50198	Euro Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50199	Euro Cylinder Sash Dead Bolt Arch.R/C	N/A	Brass	MS	MS	N/A	DL09
50200	Euro Cylinder Sash Dead Bolt Arch.R/C	N/A	Brass	MS	MS	N/A	DL09
50201	Euro Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50202	Euro Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50203	Euro Cylinder Sash Dead Bolt Arch. R/C	N/A	Brass	MS	MS	N/A	DL09
50204	Euro Cylinder Sash Dead Bolt Arch. R/C	N/A	Brass	MS	MS	N/A	DL09
50205	Oval Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50206	Oval Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50207	Oval Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50208	Oval Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50209	Oval Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50210	Oval Cylinder Sash Lock Body Arch.	Brass	Brass	MS	MS	Brass	DL09
50211	Oval Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50212	Oval Cylinder Sash Lock Body Arch. R/C	Brass	Brass	MS	MS	Brass	DL09
50213	Oval Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50214	Oval Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50215	Oval Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50216	Oval Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50217	Oval Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50218	Oval Cylinder Sash Lock Body -Latch Arch.	Brass	N/A	MS	MS	Brass	DL09
50219	Oval Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50220	Oval Cylinder Sash Lock Body -Latch Arch. R/C	Brass	N/A	MS	MS	Brass	DL09
50221	Oval Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50222	Oval Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50223	Oval Cylinder Sash Dead Bolt Arch.R/C	N/A	Brass	MS	MS	N/A	DL09
50224	Oval Cylinder Sash Dead Bolt Arch.R/C	N/A	Brass	MS	MS	N/A	DL09
50225	Oval Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09

Page 19 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



# CERTIFICATE No CF 5851

## RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50226	Oval Cylinder Sash Dead Bolt Arch.	N/A	Brass	MS	MS	N/A	DL09
50227	Oval Cylinder Sash Dead Bolt Arch. R/C	N/A	Brass	MS	MS	N/A	DL09
50228	Oval Cylinder Sash Dead Bolt Arch. R/C	N/A	Brass	MS	MS	N/A	DL09
50229	Euro Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50230	Euro Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50231	Euro Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50232	Euro Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50233	Euro Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50234	Euro Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50235	Euro Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50236	Euro Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50237	Oval Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50238	Oval Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50239	Oval Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50240	Oval Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50241	Oval Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50242	Oval Cylinder Dead Lock	N/A	Brass	MS	MS	N/A	DL10
50243	Oval Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50244	Oval Cylinder Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL10
50245	Euro Profile Dead Lock	N/A	Brass	MS	MS	N/A	DL11
50246	Euro Profile Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL11
50247	Euro Profile Dead Lock	N/A	Brass	MS	MS	N/A	DL11
50248	Euro Profile Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL11
50249	Euro Profile Dead Lock 4 Bullet	N/A	MS	MS	MS	N/A	DL11
50250	Euro Profile Dead Lock 4 Bullet R/C	N/A	MS	MS	MS	N/A	DL11
50251	Euro Profile Dead Lock 4 Bullet	N/A	MS	MS	MS	N/A	DL11
50252	Euro Profile Dead Lock 4 Bullet R/C	N/A	MS	MS	MS	N/A	DL11
50253	Euro Profile Dead Lock Tripin	N/A	Brass	MS	MS	N/A	DL11
50254	Euro Profile Dead Lock Tripin R/C	N/A	Brass	MS	MS	N/A	DL11
50255	Euro Profile Dead Lock Tripin	N/A	Brass	MS	MS	N/A	DL11
50256	Euro Profile Dead Lock Tripin R/C	N/A	Brass	MS	MS	N/A	DL11
50257	Euro Profile Dead Lock 2 Bullet 1 Bolt	N/A	MS + Brass	MS	MS	N/A	DL11
50258	Euro Profile Dead Lock 2 Bullet 1 Bolt R/C	N/A	MS + Brass	MS	MS	N/A	DL11
50259	Euro Profile Dead Lock 2 Bullet 1 Bolt	N/A	MS + Brass	MS	MS	N/A	DL11
50260	Euro Profile Dead Lock 2 Bullet 1 Bolt R/C	N/A	MS + Brass	MS	MS	N/A	DL11
50261	Oval Profile Dead Lock	N/A	Brass	MS	MS	N/A	DL11
50262	Oval Profile Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL11
50263	Oval Profile Dead Lock	N/A	Brass	MS	MS	N/A	DL11
50264	Oval Profile Dead Lock R/C	N/A	Brass	MS	MS	N/A	DL11
50265	Oval Profile Dead Lock 4 Bullet	N/A	MS	MS	MS	N/A	DL11

Page 20 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



# CERTIFICATE No CF 5851

## RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50266	Oval Profile Dead Lock 4 Bullet R/C	N/A	MS	MS	MS	N/A	DL11
50267	Oval Profile Dead Lock 4 Bullet	N/A	MS	MS	MS	N/A	DL11
50268	Oval Profile Dead Lock 4 Bullet R/C	N/A	MS	MS	MS	N/A	DL11
50269	Oval Profile Dead Lock Tripin	N/A	Brass	MS	MS	N/A	DL11
50270	Oval Profile Dead Lock Tripin R/C	N/A	Brass	MS	MS	N/A	DL11
50271	Oval Profile Dead Lock Tripin	N/A	Brass	MS	MS	N/A	DL11
50272	Oval Profile Dead Lock Tripin R/C	N/A	Brass	MS	MS	N/A	DL11
50273	Oval Profile Dead Lock 2 Bullet 1 Bolt	N/A	MS + Brass	MS	MS	N/A	DL11
50274	Oval Profile Dead Lock 2 Bullet 1 Bolt R/C	N/A	MS + Brass	MS	MS	N/A	DL11
50275	Oval Profile Dead Lock 2 Bullet 1 Bolt	N/A	MS + Brass	MS	MS	N/A	DL11
50276	Oval Profile Dead Lock 2 Bullet 1 Bolt R/C	N/A	MS + Brass	MS	MS	N/A	DL11
50277	Euro Profile Lock Body	Brass	Brass	Ss	MS	Brass	DL16
50278	Euro Profile Lock Body R/C	Brass	Brass	Ss	MS	Brass	DL16
50279	Euro Profile Lock Body	Brass	Brass	Ss	MS	Brass	DL16
50280	Euro Profile Lock Body R/C	Brass	Brass	Ss	MS	Brass	DL16
50281	Euro Profile Lock Body Single Brass Bolt	Brass	Brass	Ss	MS	Brass	DL16
50282	Euro Profile Lock Body Single Brass Bolt R/C	Brass	Brass	Ss	MS	Brass	DL16
50283	Euro Profile Lock Body Single Brass Bolt	Brass	Brass	Ss	MS	Brass	DL16
50284	Euro Profile Lock Body Single Brass Bolt R/C	Brass	Brass	Ss	MS	Brass	DL16
50285	Euro Profile Lock Body Single Zinc Bolt	Brass	Zinc	Ss	MS	Brass	DL16
50286	Euro Profile Lock Body Single Zinc Bolt R/C	Brass	Zinc	Ss	MS	Brass	DL16
50287	Euro Profile Lock Body Single Zinc Bolt	Brass	Zinc	Ss	MS	Brass	DL16
50288	Euro Profile Lock Body Single Zinc Bolt R/C	Brass	Zinc	Ss	MS	Brass	DL16
50289	Euro Profile Lock Body 3 Bullet	Brass	MS	Ss	MS	Brass	DL16
50290	Euro Profile Lock Body 3 Bullet R/C	Brass	MS	Ss	MS	Brass	DL16
50291	Euro Profile Lock Body 3 Bullet	Brass	MS	Ss	MS	Brass	DL16
50292	Euro Profile Lock Body 3 Bullet R/C	Brass	MS	Ss	MS	Brass	DL16
50293	Euro Profile Lock Body Brass Live Bolt & Follower, Zinc Dead Bolt	Brass	Zinc	Ss	MS	Brass	DL16
50294	Euro Profile Lock Body Brass Live Bolt & Follower, Zinc Dead Bolt R/C	Brass	Zinc	Ss	MS	Brass	DL16
50295	Euro Profile Lock Body Brass Live Bolt & Follower, Zinc Dead Bolt	Brass	Zinc	Ss	MS	Brass	DL16
50296	Euro Profile Lock Body Brass Live Bolt & Follower, Zinc Dead Bolt R/C	Brass	Zinc	Ss	MS	Brass	DL16
50297	Euro Profile Latch Body	Brass	N/A	Ss	MS	Brass	DL16
50298	Euro Profile Latch Body R/C	Brass	N/A	Ss	MS	Brass	DL16

Page 21 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX B – MORTICE LOCK AND LATCHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS FOR UP TO 60 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50299	Euro Profile Latch Body	Brass	N/A	Ss	MS	Brass	DL16
50300	Euro Profile Latch Body R/C	Brass	N/A	Ss	MS	Brass	DL16
50301	Euro Profile Dead Bolt	N/A	Brass	Ss	MS	N/A	DL16
50302	Euro Profile Dead Bolt R/C	N/A	Brass	Ss	MS	N/A	DL16
50303	Euro Profile Dead Bolt	N/A	Brass	Ss	MS	N/A	DL16
50304	Euro Profile Dead Bolt R/C	N/A	Brass	Ss	MS	N/A	DL16
50305	Euro Profile Lock Body Night Latch Function	Brass	Brass	Ss	MS	Brass	DL16
50306	Euro Profile Lock Body Night Latch Function R/C	Brass	Brass	Ss	MS	Brass	DL16
50307	Euro Profile Lock Body Night Latch Function	Brass	Brass	Ss	MS	Brass	DL16
50308	Euro Profile Lock Body Night Latch Function R/C	Brass	Brass	Ss	MS	Brass	DL16
50309	3 Lvr Mortice Dead Lock T-3	N/A	Zinc	MS	MS	N/A	DL21
50310	3 Lvr Mortice Dead Lock T-3	N/A	Zinc	MS	MS	N/A	DL21
50311	3 Lvr Mortice Dead Lock T-3 R/C	N/A	Zinc	MS	MS	N/A	DL21
50312	3 Lvr Mortice Dead Lock T-3 R/C	N/A	Zinc	MS	MS	N/A	DL21
50313	3 Lvr Mortice Dead Lock T-3	N/A	Zinc	MS	MS	N/A	DL21
50314	3 Lvr Mortice Dead Lock T-3	N/A	Zinc	MS	MS	N/A	DL21
50315	3 Lvr Mortice Dead Lock T-3 R/C	N/A	Zinc	MS	MS	N/A	DL21
50316	3 Lvr Mortice Dead Lock T-3 R/C	N/A	Zinc	MS	MS	N/A	DL21



# CERTIFICATE No CF 5851

## RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50317	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50318	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50319	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50320	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50321	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50322	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50323	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50324	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50325	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50326	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50327	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50328	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50329	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50330	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50331	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50332	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50333	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50334	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50335	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50336	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50337	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50338	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50339	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50340	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50341	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50342	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50343	Euro Profile Sash Lock Body	Brass	Zinc	SS	MS	Brass	DL12
50344	Euro Profile Sash Lock Body R/C	Brass	Zinc	SS	MS	Brass	DL12
50345	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50346	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50347	Euro Profile Latch Body	Brass	N/A	SS	MS	Brass	DL12
50348	Euro Profile Latch Body R/C	Brass	N/A	SS	MS	Brass	DL12
50349	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50350	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50351	Euro Profile Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL12
50352	Euro Profile Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL12
50353	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15
50354	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50355	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15
50356	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50357	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15
50358	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50359	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15

Page 23 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50360	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50361	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15
50362	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50363	Bathroom Lock Body Double Turn	Brass	Zinc	SS	MS	Brass	DL15
50364	Bathroom Lock Body Double Turn R/C	Brass	Zinc	SS	MS	Brass	DL15
50365	Bathroom Lock Body Single Turn	Brass	Zinc	SS	MS	Brass	DL15a
50366	Bathroom Lock Body Single Turn R/C	Brass	Zinc	SS	MS	Brass	DL15a
50367	Bathroom Lock Body Single Turn	Brass	Zinc	SS	MS	Brass	DL15a
50368	Bathroom Lock Body Single Turn R/C	Brass	Zinc	SS	MS	Brass	DL15a
50369	Bathroom Lock Body Single Turn	Brass	Zinc	SS	MS	Brass	DL15a
50370	Bathroom Lock Body Single Turn R/C	Brass	Zinc	SS	MS	Brass	DL15a
50371	Bathroom Lock Body Single Turn	Brass	Zinc	SS	MS	Brass	DL15a
50372	Bathroom Lock Body Single Turn R/C	Brass	Zinc	SS	MS	Brass	DL15a
50373	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50374	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50375	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50376	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50377	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50378	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50379	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50380	Europrofile Sash Lock Body All Brass	Brass	Brass	SS	MS	Brass	DL17
50381	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50382	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50383	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50384	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50385	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50386	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50387	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50388	Europrofile Sash Lock Body All Brass-Latch Only	Brass	N/A	SS	MS	Brass	DL17
50389	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50390	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50391	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50392	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50393	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50394	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50395	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50396	Europrofile Sash Lock Body All Brass-Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL17
50397	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50398	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50399	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50400	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50401	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50402	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50403	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50404	Europrofile Sash Lock Body All Brass R/C	Brass	Brass	SS	MS	Brass	DL17
50405	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50406	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50407	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50408	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50409	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50410	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50411	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50412	Europrofile Sash Lock Body All Brass-Latch Only R/C	Brass	N/A	SS	MS	Brass	DL17
50413	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50414	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50415	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50416	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50417	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50418	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50419	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50420	Europrofile Sash Lock Body All Brass-Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL17
50421	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50422	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50423	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50424	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50425	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50426	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50427	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50428	Europrofile Sash Lock Body All Brass, Zinc Deadbolt	Brass	Zinc	SS	MS	Brass	DL17
50429	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50430	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50431	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50432	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50433	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50434	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50435	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50436	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50437	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17

Page 26 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50438	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50439	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50440	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50441	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50442	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50443	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50444	Europrofile Sash Lock Body All Brass, Zinc Deadbolt R/C	Brass	Zinc	SS	MS	Brass	DL17
50445	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50446	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50447	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50448	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50449	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50450	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50451	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50452	Europrofile Sash Lock Body All Brass-Zinc Dead Bolt, Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50453	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50454	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50455	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50456	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50457	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50458	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50459	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50460	Europrofile Sash Lock Body All Zinc	Zinc	Zinc	SS	MS	Zinc	DL17
50461	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50462	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50463	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50464	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50465	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50466	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50467	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50468	Europrofile Sash Lock Body All Zinc-Latch Only	Zinc	N/A	SS	MS	Zinc	DL17
50469	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50470	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50471	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50472	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50473	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50474	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50475	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50476	Europrofile Sash Lock Body All Zinc-Dead Bolt Only	N/A	Zinc	SS	MS	N/A	DL17
50477	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50478	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50479	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50480	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50481	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50482	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50483	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50484	Europrofile Sash Lock Body All Zinc R/C	Zinc	Zinc	SS	MS	Zinc	DL17
50485	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50486	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50487	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50488	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50489	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50490	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50491	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50492	Europrofile Sash Lock Body All Zinc-Latch Only R/C	Zinc	N/A	SS	MS	Zinc	DL17
50493	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50494	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50495	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50496	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50497	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50498	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50499	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50500	Europrofile Sash Lock Body All Zinc-Dead Bolt Only R/C	N/A	Zinc	SS	MS	N/A	DL17
50501	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50502	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50503	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18

Page 29 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50504	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50505	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50506	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50507	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50508	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db	Brass	MS	SS	MS	Brass	DL18
50509	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50510	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50511	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50512	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50513	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50514	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50515	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50516	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only	N/A	MS	SS	MS	N/A	DL18
50517	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50518	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50519	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50520	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50521	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50522	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50523	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50524	Europrofile Sash Lock Body All Brass, 4 Steel Bullet Db R/C	Brass	MS	SS	MS	Brass	DL18
50525	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18

Page 30 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50526	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50527	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50528	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50529	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50530	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50531	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50532	Europrofile Sash Lock Body All Brass-4 Steel Bullet Db, Dead Bolt Only R/C	N/A	MS	SS	MS	N/A	DL18
50533	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50534	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50535	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50536	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50537	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50538	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50539	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50540	Europrofile Sash Lock Body All Brass, Tripin	Brass	Brass	SS	MS	Brass	DL19
50541	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50542	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50543	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50544	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50545	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50546	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50547	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19
50548	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only	N/A	Brass	SS	MS	N/A	DL19

Page 31 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50549	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50550	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50551	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50552	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50553	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50554	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50555	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50556	Europrofile Sash Lock Body All Brass, Tripin R/C	Brass	Brass	SS	MS	Brass	DL19
50557	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50558	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50559	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50560	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50561	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50562	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50563	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50564	Europrofile Sash Lock Body All Brass, Tripin Dead Bolt Only R/C	N/A	Brass	SS	MS	N/A	DL19
50565	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50566	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50567	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50568	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50569	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50570	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50571	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20

Page 32 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



## CERTIFICATE No CF 5851 RUTLAND UK

### Rutland UK - Tubular Latches and Mortice Locks and Latches

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50572	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet	Brass	MS & Brass	SS	MS	Brass	DL20
50573	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50574	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50575	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50576	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50577	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50578	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50579	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50580	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only	N/A	MS & Brass	SS	MS	N/A	DL20
50581	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50582	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50583	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50584	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50585	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50586	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50587	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50588	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet R/C	Brass	MS & Brass	SS	MS	Brass	DL20
50589	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50590	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50591	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50592	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50593	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20

Page 33 of 34 Signed  
R/001

Issued: 9<sup>th</sup> March 2020  
Re-issued: 18<sup>th</sup> May 2022  
Valid to: 28<sup>th</sup> April 2027



---

**CERTIFICATE No CF 5851**  
**RUTLAND UK**

---

**Rutland UK - Tubular Latches and Mortice Locks and Latches**

ANNEX C CONTINUED - MORTICE LOCKS AND LTACHES SUITABLE FOR USE ON TIMBER/MINERAL-BASED DOORSETS AND INSULATED STEEL-BASED DOORSET FOR UP TO 120 MINUTES							
CODE	PRODUCT	LATCH BOLT	DEAD BOLT	FACE PLATE	BODY	FOLLOWER	DRAWING No.
50594	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50595	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20
50596	Europrofile Sash Lock Body All Brass, 1 Bolt 2 Bullet, Deadbolt Only R/C	N/A	MS & Brass	SS	MS	N/A	DL20