



Range of Mortice Deadlocks

Construction Products Regulation

Declaration of Performance (DoP)

According to The Construction Products (Amendment etc) (Eu Exit) Regulations, 2019 No. 465 & 2020 No.1359

DoP UKCA RDL.2303291

1. Unique identification code of the product/type:

RDL.DL.55 / RDL.DL.60 - Dead Locks

2. Re-order Code allowing identification of the construction product as required under Article 11(4) of CPR:

50339, 50340, 50346, 50345

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

For use on fire/smoke compartmentation doors, when fitted in accordance with the supplied fitting instructions and maintained to the manufacturers O&M Manual.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11 (5):

Rutland UK, Whittington Way, Chesterfield, S41 9AG, UK

5. Where applicable. Name and contact address of authorised representative whose mandate covers the tasks specified in Article 12(2):

N/A

6. System or systems of assessment and verification of constancy of performamnce of the construction product as set out in CPR, Annex V:

System 1

7. In case of the declaration of performance concerning a construction product covered by a designated standard:

EN12209: 2003/AC 2005

8.1 Notified body

Approved Body No. 1121 - Warringtonfire Testing and Certification Limited

8.2 ID Certificate

1121-CPR-UK-AG8032

9. Declared performance

Essential Characteristics	Performance	Harmonised Technical Specification	
Self-closing			
5.4.2 Closing force	NPD		
5.1.2 Re-latching force of latch			
bolt	NPD		
Durability of Self Closing			
5.3.1 Durability of latch action	NPD		
	Grade 1 - PASS		
Ability to maintain the door in			
the closed position and not		EN 12209: 2003/AC:2005	
contribute to its spread of fire			
Dangerous Substances			
	The materials in the products do		
	not contain or release any		
	dangerous substances in excess		
	of the maximum levels specified		
	in existing European material		
	standards or any national		
	regulations.		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared

Signed for an behalf of the manufacturer:

Neil Smith (CCM Director)

Place and date of issue

Chesterfield, UK. 25.07.2023